



Pool Site Assessment



Facility Info

Name of Facility

Location (City and State/Region)

Date

Contact Person

Phone/E-mail

Key Goals (For Moss)

- | | |
|--|--|
| <input type="checkbox"/> Reduce Chemicals | <input type="checkbox"/> Reduce Costs |
| <input type="checkbox"/> Reduce Scaling/Staining | <input type="checkbox"/> Reduce Corrosion |
| <input type="checkbox"/> Balance pH | <input type="checkbox"/> Improve Air Quality |
| <input type="checkbox"/> Improve Water Clarity | |
| <input type="checkbox"/> Other | <input type="text"/> |

Water Volume

Unit of Measure

Water Temp

Pool Type

Water Cost

Sewer Cost

Energy Cost

Surge/

Yes

Ladder/ Rope

Pump

Balance tank

No

Anchor in Tank

Room

Water System

Test the Water Coming Into the Facility (Tap). This Will Provide a Better Picture of the System.

pH

Alkalinity

Chloramines/
Combine Chlorine

Free Available
Chlorine

Calcium
Hardness

Filtration

Type of Filter

Number of Filters

Media Type

Media Age

Backwash?

Yes

How

Duration of Each

No

Often?

Backwash



Chemicals and Treatment

	BECS	ProMinent	Strantrol/ Siemens	Pentair	Hayward	Other (Note Below)	None
	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Other Controller Brand Controller Model Number/ Name FAC Probe? Number Of Probes

Chemicals Used

	Yes	No
Tablet Chlorine	<input type="radio"/>	<input type="radio"/>
Liquid Chlorine	<input type="radio"/>	<input type="radio"/>
Salt Chlorine	<input type="radio"/>	<input type="radio"/>
Bromine	<input type="radio"/>	<input type="radio"/>
UV	<input type="radio"/>	<input type="radio"/>
Hydrochloric Acid	<input type="radio"/>	<input type="radio"/>
Sulfuric Acid	<input type="radio"/>	<input type="radio"/>
Sodium Bi-Carb	<input type="radio"/>	<input type="radio"/>
Cyanuric Acid	<input type="radio"/>	<input type="radio"/>
Monopersulfate (MPS)	<input type="radio"/>	<input type="radio"/>
Clarifier (Note Below)	<input type="radio"/>	<input type="radio"/>
Other	<input type="radio"/>	<input type="radio"/>

Clarifier

Clarifier Hand Fed
 Auto Feed

Other

Total Monthly Chemical Expense



Looking at the Pool

Take a look at the pool. Some of this information may be subjective, but always useful.

Scale Staining Corrosion Scum Line

Water Clarity Pool Smell

Pool Deck Facility Temp Hot
 Humid
 Cool
 Other

Data Sheets

If possible...try to get a look at the data collection sheets for the pool (last 30 days). This will help determine some of their pains, and/or potential issues with the facility.

Free Available Chlorine

pH Lowest Reading Highest Reading

Alkalinity Lowest Reading Highest Reading

Combined Chlorine Lowest Reading Highest Reading

Calcium Hardness Lowest Reading Highest Reading

Bather Load Water Temp

Data Sheet Notes

Notes

Add any additional notes regarding the facility, personnel, conditions, challenges, etc.

Notes

Enter Your E-mail Address



Contact Creative Water Solutions with any questions.
(763) 398-0141. info@cwsnaturally.com

